

AD-A250 993



(2)

OFFICE OF NAVAL RESEARCH
Grant No. N00014-91-J-1655
R&T Code 4132058---02

TECHNICAL REPORT NO. 3

The Effect of Surface Pressure on Langmuir-Blodgett
Polymerization of 2-Pentadecyl Aniline



Polymer Preprints, 32(1), 202 (1991).

S **DTIC**
ELECTE
JUN 01 1992
A **D**

by

H.-C. Zhou and R. S. Duran
Department of Chemistry
University of Florida
Gainesville, FL 32611

Accession For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced <input type="checkbox"/>	
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	20

Reproduction in whole or in part is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

92-14171



92 5 28 12:7

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE
05/19/92

3. REPORT TYPE AND DATES COVERED
Technical

4. TITLE AND SUBTITLE

The Effect of Surface Pressure on Langmuir-Blodgett
Polymerization of 2-Pentadecyl Aniline

5. FUNDING NUMBERS

Grant No. N00014-91-J-
1655

6. AUTHOR(S)

H.-C. Zhou and R. S. Duran

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

R. S. Duran
Department of Chemistry
University of Florida
Gainesville, Florida 32611

8. PERFORMING ORGANIZATION
REPORT NUMBER

3

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Dr. Kenneth J. Wynne
Code 1113PO, Office of the Chief of Naval Research
800 North Quincy Street
Arlington, VA 22217-5000
(703) 696-4409

10. SPONSORING / MONITORING
AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

In this paper the effect of applied surface pressure upon the Langmuir-Blodgett polymerization of 2-pentadecyl aniline is investigated. Increasing the surface pressure was found to increase the polymerization rate dramatically. Experiments were performed to elucidate the underlying cause of this effect.

14. SUBJECT TERMS

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION
OF REPORT

Unclassified

18. SECURITY CLASSIFICATION
OF THIS PAGE

Unclassified

19. SECURITY CLASSIFICATION
OF ABSTRACT

Unclassified

20. LIMITATION OF ABSTRACT

THE EFFECT OF SURFACE PRESSURE ON THE LANGMUIR-BLODGETT POLYMERIZATION OF 2-PENTADECYL ANILINE

H. C. Zhou and R. S. Duran
Dept. of Chemistry
University of Florida
Gainesville, FL 32601-2046

INTRODUCTION

In recent years there has been a renewed interest in Langmuir-Blodgett (L-B) films due to the improved non-linear optical and electronic characteristics shown by polymeric L-B films (1,2). Consequently, there have also been significant advances in L-B instruments, yet many studies continue to use the L-B technique uniquely as a method to prepare multilayer films. Our laboratory is interested in preparing L-B multilayers, while also using the technique as a probe to study polymerization reactions restricted to two dimensions. This paper will discuss the polymerization of a functionalized polyaniline.

Polyaniline can be made by both chemical and electrochemical polymerization techniques(3,4). The polymerization is usually conceded to proceed by oxidative coupling, yet the detailed mechanism remains unclear(5). We have shown previously that 2-pentadecyl aniline can be chemically polymerized on a L-B trough (6,7). It was also shown that the change in the mean molecular area of the molecules at the air/aqueous interface could be used as a method to observe the polymerization process as it happens in a manner analogous to classical dilatometry of bulk polymerizations. During the polymerization of 2-pentadecyl aniline the mean molecular area was observed to decrease from 40-50 Å² to a constant value of approximately 20-30 Å² (depending on the applied surface pressure) as the polymerization was finished. The following text will discuss the effect of the applied surface pressure on this L-B polymerization.

EXPERIMENTAL

Solutions for spreading were made by dissolving the monomer, 2-pentadecyl aniline, and stearic acid(TCI) in spectra grade chloroform(Kodak). The solutions of sulfuric acid and ammonium peroxydisulfate were prepared with Milli-Q® water. Experiments were performed on a customized KSV 5000 L-B system. All polymerizations were made by spreading the monomer in dilute chloroform solution on an aqueous subphase of 0.5M sulfuric acid and 0.05M ammonium peroxydisulfate. Figure 1 shows a typical surface pressure vs surface area isotherm for 2-pentadecyl aniline on the subphase of 0.5M sulfuric acid. After spreading, the monomer was then quickly compressed to the desired surface pressure for the polymerization and the surface pressure was maintained constant by changing the barrier position as

necessary. The instantaneous barrier speed, mean molecular area, and surface pressure were all then recorded as a function of time during the polymerization. Zero time was defined to be when the desired surface pressure was reached.




FIGURE 1. Surface pressure (π) vs mean molecular area (Mma) isotherm of 2-pentadecyl aniline on a 0.5 M H₂SO₄ subphase.

RESULTS AND DISCUSSION

Mean molecular area vs time isobars for the polymerization of 2-pentadecyl aniline under different applied surface pressures are shown in Figure 2. This figure shows that the mean molecular area decreased as a function of time during the polymerization for all surface pressures. The polymerization was completed when the mean molecular area reached a constant value. The differences in the mean molecular areas at the end of the polymerization are largely due to the polymer




FIGURE 2. The mean molecular area (Mma) vs reaction time at different applied surface pressures during the polymerization.